"Samp_No","Lab_Location_ID","Matrix_ID","Sample_Type_Code","Lab_Coc_No","Date_Collected","Date_Received","Date_Extracted","Date_Analyzed","Lab_Name","Lab_Samp_No","Lab_Batch_No","Analysis","Analytical_Method","Extraction_Method","Cas_no","Analyte","Detected","Result","Result_Qualifier","Lab_Result_Qualifier","Result_Units","MDL","MDL_Units","Quantitation_Limit","Quantitation_Limit_Units","Reporting_Limit","Reporting_Limit_Units","Reportable_Result","Result_Type_Code","QC_Type","Percent_Solids","Percent_Lipids","Percent_Moisture","Total_Or_Dissolved","Test_Type","Basis","Dilution_Factor","Percent_Recovery","SubSample_Amount","SubSample_Amount_Unit","Final_Volume","Final_Volume_Unit","Comments","QAFlag","QA_Date","QA_Comment","QA_UserName"

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 15:02","TestAmerica Savannah","680-117013-3","402737","300_ORGFMS Anions, Ion Chromatography","300.0","","14797-55-8","Nitrate as N","N","0.023","<","UH","mg/L","0.023","mg/L","0.023","mg/L","0.050","mg/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 15:02","TestAmerica Savannah","680-117013-3","402737","300_ORGFMS Anions, Ion Chromatography","300.0","","STL00217","Nitrate Nitrite as N","N","0.023","<","UH","mg/L","0.023","mg/L","0.023","mg/L","0.050","mg/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 15:02","TestAmerica Savannah","680-117013-3","402737","300_ORGFMS Anions, Ion Chromatography","300.0","","14797-65-0","Nitrite as N","N","0.023","<","UH","mg/L","0.023","mg/L","0.023","mg/L","0.050","mg/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 15:23","09/25/2015 10:02","TestAmerica Savannah","680-117013-3","402891","351.2 Nitrogen, Total Kjeldahl","351.2","Digestion","STL00296","Nitrogen, Kjeldahl","Y","0.29","","","mg/L","0.10","mg/L","0.10","mg/L","0.20","mg/L","Yes","TRG","","","","","T","initial","Wet","1","","20","mL","20","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 10:01","09/24/2015 12:15","TestAmerica Savannah","680-117013-3","402691","4500_CN_E Cyanide, Total: Colorimetric Method","4500 CN E-2011","Distill/CN","57-12-5","Cyanide, Total","N","0.0050","<","U","mg/L","0.0050","mg/L","0.0050","mg/L","0.010","mg/L","Yes","TRG","","","","","T","initial","Wet","1","","50","mL","50","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 11:58","09/24/2015 13:14","TestAmerica Savannah","680-117013-3","402743","SM4500NH3_G Ammonia","4500 NH3 G-2011","4500 NH3 B-2011","7664-41-7","Ammonia","N","0.10","<","U","mg/L","0.10","mg/L","0.10","mg/L","0.25","mg/L","Yes","TRG","","","","","T","initial","Wet","1","","6","mL","6","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7429-90-5","Aluminum","Y","32000","","","ug/L","24","ug/L","24","ug/L","200","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-36-0","Antimony","Y","6.3","","J","ug/L","5.3","ug/L","5.3","ug/L","20","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-38-2","Arsenic","Y","44","","","ug/L","6.2","ug/L","6.2","ug/L","20","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-39-

3","Barium","N","1.7","<","U","ug/L","1.7","ug/L","1.7","ug/L","10","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-41-7","Beryllium","Y","13","","","ug/L","0.10","ug/L","0.10","ug/L","4.0","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-42-8","Boron","N","36","<","U","ug/L","36","ug/L","36","ug/L","100","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-43-9","Cadmium","Y","84","","","ug/L","1.0","ug/L","1.0","ug/L","5.0","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:23","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-70-2","Calcium","Y","460000","","","ug/L","250","ug/L","250","ug/L","5000","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","10","","50","mL","50","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:23","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-47-3","Chromium","N","16","<","U","ug/L","16","ug/L","16","ug/L","100","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","10","","50","mL","50","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-48-4","Cobalt","Y","120","","","ug/L","1.0","ug/L","1.0","ug/L","10","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-50-8","Copper","Y","7800","","","ug/L","1.8","ug/L","1.8","ug/L","20","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7439-89-6","Iron","Y","120000","","","ug/L","17","ug/L","17","ug/L","50","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:23","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7439-92-1","Lead","N","39","<","U","ug/L","39","ug/L","39","ug/L","100","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","10","","50","mL","50","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:23","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7439-95-4","Magnesium","Y","31000","","","ug/L","330","ug/L","330","ug/L","5000","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","10","","50","mL","50","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:23","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7439-96-5","Manganese","Y","42000","","","ug/L","10","ug/L","10","ug/L","100","ug/L","Yes","TRG","","","","","TOTAL

","initial","Wet","10","","50","mL","50","mL","","0","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7439-98-7","Molybdenum","Y","4.8","","J","ug/L","1.0","ug/L","1.0","ug/L","10","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-02-0","Nickel","Y","64","","","ug/L","2.1","ug/L","2.1","ug/L","40","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-09-7","Potassium","Y","3000","","","ug/L","17","ug/L","17","ug/L","1000","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7782-49-2","Selenium","N","9.9","<","U","ug/L","9.9","ug/L","9.9","ug/L","20","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-22-4","Silver","N","0.60","<","U","ug/L","0.60","ug/L","0.60","ug/L","10","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:23","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-23-5","Sodium","N","4800","<","U","ug/L","4800","ug/L","4800","ug/L","10000","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","10","","50","mL","50","mL","","0","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-24-6","Strontium","Y","5900","","","ug/L","0.90","ug/L","0.90","ug/L","10","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:23","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-28-0","Thallium","N","60","<","U","ug/L","60","ug/L","60","ug/L","250","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","10","","50","mL","50","mL","","0","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-31-5","Tin","N","5.5","<","U","ug/L","5.5","ug/L","5.5","ug/L","50","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-32-6","Titanium","Y","1.7","","J","ug/L","0.50","ug/L","0.50","ug/L","10","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-62-2","Vanadium","Y","33","","","ug/L","1.0","ug/L","1.0","ug/L","10","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-66-6","Zinc","Y","26000","","","ug/L","7.0","ug/L","7.0","ug/L","20","ug/L","Yes","TRG","","","","","TOTAL","initial ","Wet","1","","50","mL","50","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 10:18","09/24/2015 18:11","TestAmerica Savannah","680-117013-3","402821","7470A Mercury (CVAA)","7470A","7470A","7439-97-6","Mercury","N","0.080","<","U","ug/L","0.080","ug/L","0.080","ug/L","0.20","ug/L","Yes","TRG","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 15:11","09/25/2015 16:02","TestAmerica Savannah","680-117013-3","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","12674-11-2","PCB-1016","N","0.17","<","U","ug/L","0.17","ug/L","0.17","ug/L","0.97","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","1034.3","mL","10","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 15:11","09/25/2015 16:02","TestAmerica Savannah","680-117013-3","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","11104-28-2","PCB-1221","N","0.18","<","U","ug/L","0.18","ug/L","0.18","ug/L","0.97","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","1034.3","mL","10","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 15:11","09/25/2015 16:02","TestAmerica Savannah","680-117013-3","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","11141-16-5","PCB-1232","N","0.24","<","U","ug/L","0.24","ug/L","0.24","ug/L","0.97","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","1034.3","mL","10","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 15:11","09/25/2015 16:02","TestAmerica Savannah","680-117013-3","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","53469-21-9","PCB-1242","N","0.18","<","U","ug/L","0.18","ug/L","0.18","ug/L","0.97","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","1034.3","mL","10","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 15:11","09/25/2015 16:02","TestAmerica Savannah","680-117013-3","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","12672-29-6","PCB-1248","N","0.20","<","U","ug/L","0.20","ug/L","0.20","ug/L","0.97","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","1034.3","mL","10","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 15:11","09/25/2015 16:02","TestAmerica Savannah","680-117013-3","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","11097-69-1","PCB-1254","N","0.11","<","U","ug/L","0.11","ug/L","0.11","ug/L","0.97","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","1034.3","mL","10","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 15:11","09/25/2015 16:02","TestAmerica Savannah","680-117013-3","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","11096-82-5","PCB-1260","N","0.12","<","U","ug/L","0.12","ug/L","0.12","ug/L","0.97","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","1034.3","mL","10","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:25","TestAmerica Savannah","680-117013-3","402733","3500_CR_D Chromium, Hexavalent","SM 3500 CR D","","18540-29-9","Cr (VI)","Y","0.014","","H","mg/L","0.0030","mg/L","0.0030","mg/L","0.010","mg/L","Yes","TRG","","","","","T","initial","Wet","1","","2","mL","2","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","630-20-6","1,1,1,2-Tetrachloroethane","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015

12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","71-55-6","1,1,1-Trichloroethane","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","79-34-5","1,1,2,2-Tetrachloroethane","N","0.62","<","U","ug/L","0.62","ug/L","0.62","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","79-00-5","1,1,2-Trichloroethane","N","0.33","<","U","ug/L","0.33","ug/L","0.33","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","75-34-3","1,1-Dichloroethane","N","0.38","<","U","ug/L","0.38","ug/L","0.38","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","75-35-4","1,1-Dichloroethene","N","0.36","<","U","ug/L","0.36","ug/L","0.36","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","563-58-6","1,1-Dichloropropene","N","0.34","<","U","ug/L","0.34","ug/L","0.34","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","87-61-6","1,2,3-Trichlorobenzene","N","2.5","<","U","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","96-18-4","1,2,3-Trichloropropane","N","0.39","<","U","ug/L","0.39","ug/L","0.39","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","120-82-1","1,2,4-Trichlorobenzene","N","2.5","<","U","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","95-63-6","1,2,4-Trimethylbenzene","N","0.47","<","U","ug/L","0.47","ug/L","0.47","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","96-12-8","1,2-Dibromo-3-Chloropropane","N","1.1","<","U","ug/L","1.1","ug/L","1.1","ug/L","5.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","106-93-

4","1,2-
Dibromoethane","N","0.44","<","U","ug/L","0.44","ug/L","0.44","ug/L","1.0","ug/L","Yes","TRG","","","","","T",
"initial","Wet","1","","5","mL","5","mL","","0","","",,""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","107-06-
2","1,2-
Dichloroethane","N","0.50","<","U","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","","","","","T",
"initial","Wet","1","","5","mL","5","mL","","0","","",,""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","540-59-
0","1,2-Dichloroethene,
Total","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","2.0","ug/L","Yes","TRG","","","","","T","initial","W
et","1","","5","mL","5","mL","","0","","",,""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","78-87-
5","1,2-
Dichloropropane","N","0.67","<","U","ug/L","0.67","ug/L","0.67","ug/L","1.0","ug/L","Yes","TRG","","","","","T
","initial","Wet","1","","5","mL","5","mL","","0","","",,""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","108-67-
8","1,3,5-
Trimethylbenzene","N","0.31","<","U","ug/L","0.31","ug/L","0.31","ug/L","1.0","ug/L","Yes","TRG","","","","",","
T","initial","Wet","1","","5","mL","5","mL","","0","","",,""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","142-28-
9","1,3-
Dichloropropane","N","0.34","<","U","ug/L","0.34","ug/L","0.34","ug/L","1.0","ug/L","Yes","TRG","","","","","T
","initial","Wet","1","","5","mL","5","mL","","0","","",,""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","594-20-
7","2,2-
Dichloropropane","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","","","","","T
","initial","Wet","1","","5","mL","5","mL","","0","","",,""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","78-93-
3","2-
Butanone","N","3.4","<","U","ug/L","3.4","ug/L","3.4","ug/L","10","ug/L","Yes","TRG","","","","","T","initial","
Wet","1","","5","mL","5","mL","","0","","",,""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","110-75-
8","2-Chloroethyl vinyl
ether","N","5.0","<","U","ug/L","5.0","ug/L","5.0","ug/L","10","ug/L","Yes","TRG","","","","","T","initial","Wet","
1","","5","mL","5","mL","","0","","",,""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","95-49-
8","2-
Chlorotoluene","N","0.27","<","U","ug/L","0.27","ug/L","0.27","ug/L","1.0","ug/L","Yes","TRG","","","","","T","i
nitial","Wet","1","","5","mL","5","mL","","0","","",,""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","591-78-
6","2-
Hexanone","N","2.0","<","U","ug/L","2.0","ug/L","2.0","ug/L","10","ug/L","Yes","TRG","","","","","T","initial","
Wet","1","","5","mL","5","mL","","0","","",,""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","106-43-
4","4-

Chlorotoluene","N","0.45","<","U","ug/L","0.45","ug/L","0.45","ug/L","1.0","ug/L","Yes","TRG","","","","","T","i
nitial","Wet","1","","5","mL","5","mL","","0","","",,""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","108-10-
1","4-Methyl-2-
pentanone","N","2.1","<","U","ug/L","2.1","ug/L","2.1","ug/L","10","ug/L","Yes","TRG","","","","","T","initial","
Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","67-64-
1","Acetone","N","7.0","<","U","ug/L","7.0","ug/L","7.0","ug/L","10","ug/L","Yes","TRG","","","","","T","initial",
"Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","71-43-
2","Benzene","N","0.43","<","U","ug/L","0.43","ug/L","0.43","ug/L","1.0","ug/L","Yes","TRG","","","","","T","ini
tial","Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","108-86-
1","Bromobenzene","N","0.50","<","U","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","","","","","
"T","initial","Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","74-97-
5","Bromochloromethane","N","0.45","<","U","ug/L","0.45","ug/L","0.45","ug/L","1.0","ug/L","Yes","TRG","",
"","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","75-27-
4","Bromodichloromethane","N","0.44","<","U","ug/L","0.44","ug/L","0.44","ug/L","1.0","ug/L","Yes","TRG","
","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","75-25-
2","Bromoform","N","0.43","<","U","ug/L","0.43","ug/L","0.43","ug/L","1.0","ug/L","Yes","TRG","","","","","T","
initial","Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","74-83-
9","Bromomethane","N","2.5","<","U","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","","","","","T",
"initial","Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","75-15-
0","Carbon
disulfide","N","1.0","<","U","ug/L","1.0","ug/L","1.0","ug/L","2.0","ug/L","Yes","TRG","","","","","T","initial","W
et","1","","5","mL","5","mL","","0","","","",
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","56-23-
5","Carbon
tetrachloride","N","0.33","<","U","ug/L","0.33","ug/L","0.33","ug/L","1.0","ug/L","Yes","TRG","","","","","T","ini
tial","Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","108-90-
7","Chlorobenzene","N","0.26","<","U","ug/L","0.26","ug/L","0.26","ug/L","1.0","ug/L","Yes","TRG","","","","",
"T","initial","Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","75-00-
3","Chloroethane","N","2.5","<","U
*","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","m
L","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","67-66-

3","Chloroform","N","0.50","<","U","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","74-87-3","Chloromethane","N","0.40","<","U","ug/L","0.40","ug/L","0.40","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","156-59-2","cis-1,2-Dichloroethene","N","0.41","<","U","ug/L","0.41","ug/L","0.41","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","10061-01-5","cis-1,3-Dichloropropene","N","0.40","<","U","ug/L","0.40","ug/L","0.40","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","124-48-1","Dibromochloromethane","N","0.32","<","U","ug/L","0.32","ug/L","0.32","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","74-95-3","Dibromomethane","N","0.35","<","U","ug/L","0.35","ug/L","0.35","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","75-71-8","Dichlorodifluoromethane","N","0.60","<","U","ug/L","0.60","ug/L","0.60","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","100-41-4","Ethylbenzene","N","0.33","<","U","ug/L","0.33","ug/L","0.33","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","98-82-8","Isopropylbenzene","N","0.35","<","U","ug/L","0.35","ug/L","0.35","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","1634-04-4","Methyl tert-butyl ether","N","0.30","<","U","ug/L","0.30","ug/L","0.30","ug/L","10","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","75-09-2","Methylene Chloride","N","2.5","<","U","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","179601-23-1","m-Xylene & p-Xylene","N","0.35","<","U","ug/L","0.35","ug/L","0.35","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""
"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","104-51-8","n-Butylbenzene","N","0.47","<","U","ug/L","0.47","ug/L","0.47","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","103-65-1","N-Propylbenzene","N","0.38","<","U","ug/L","0.38","ug/L","0.38","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","95-47-6","o-Xylene","N","0.23","<","U","ug/L","0.23","ug/L","0.23","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","99-87-6","p-Isopropyltoluene","N","0.48","<","U","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","135-98-8","sec-Butylbenzene","N","0.42","<","U","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","100-42-5","Styrene","N","0.27","<","U","ug/L","0.27","ug/L","0.27","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","98-06-6","tert-Butylbenzene","N","0.45","<","U","ug/L","0.45","ug/L","0.45","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","127-18-4","Tetrachloroethene","N","0.74","<","U","ug/L","0.74","ug/L","0.74","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","108-88-3","Toluene","N","0.48","<","U","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","156-60-5","trans-1,2-Dichloroethene","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","10061-02-6","trans-1,3-Dichloropropene","N","0.42","<","U","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","79-01-6","Trichloroethene","N","0.48","<","U","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","75-69-4","Trichlorofluoromethane","N","0.42","<","U","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015

12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","108-05-4","Vinyl acetate","N","0.81","<","U","ug/L","0.81","ug/L","0.81","ug/L","2.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","75-01-4","Vinyl chloride","N","0.50","<","U","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","1330-20-7","Xylenes, Total","N","0.23","<","U","ug/L","0.23","ug/L","0.23","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","630-20-6","1,1,1,2-Tetrachloroethane","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","71-55-6","1,1,1-Trichloroethane","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","79-34-5","1,1,2,2-Tetrachloroethane","N","0.62","<","U","ug/L","0.62","ug/L","0.62","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","79-00-5","1,1,2-Trichloroethane","N","0.33","<","U","ug/L","0.33","ug/L","0.33","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","75-34-3","1,1-Dichloroethane","N","0.38","<","U","ug/L","0.38","ug/L","0.38","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","75-35-4","1,1-Dichloroethene","N","0.36","<","U","ug/L","0.36","ug/L","0.36","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","563-58-6","1,1-Dichloropropene","N","0.34","<","U","ug/L","0.34","ug/L","0.34","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","87-61-6","1,2,3-Trichlorobenzene","N","2.5","<","U","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","96-18-

4","1,2,3-
Trichloropropane","N","0.39","<","U","ug/L","0.39","ug/L","0.39","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","120-82-1","1,2,4-
Trichlorobenzene","N","2.5","<","U","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","95-63-6","1,2,4-
Trimethylbenzene","N","0.47","<","U","ug/L","0.47","ug/L","0.47","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","96-12-8","1,2-Dibromo-3-
Chloropropane","N","1.1","<","U","ug/L","1.1","ug/L","1.1","ug/L","5.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","106-93-4","1,2-
Dibromoethane","N","0.44","<","U","ug/L","0.44","ug/L","0.44","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","107-06-2","1,2-
Dichloroethane","N","0.50","<","U","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","540-59-0","1,2-Dichloroethene,
Total","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","2.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","78-87-5","1,2-
Dichloropropane","N","0.67","<","U","ug/L","0.67","ug/L","0.67","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","108-67-8","1,3,5-
Trimethylbenzene","N","0.31","<","U","ug/L","0.31","ug/L","0.31","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","142-28-9","1,3-
Dichloropropane","N","0.34","<","U","ug/L","0.34","ug/L","0.34","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","594-20-7","2,2-
Dichloropropane","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","78-93-3","2-

Butanone","N","3.4","<","U","ug/L","3.4","ug/L","3.4","ug/L","10","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","110-75-8","2-Chloroethyl vinyl ether","N","5.0","<","U","ug/L","5.0","ug/L","5.0","ug/L","10","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","95-49-8","2-Chlorotoluene","N","0.27","<","U","ug/L","0.27","ug/L","0.27","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","591-78-6","2-Hexanone","N","2.0","<","U","ug/L","2.0","ug/L","2.0","ug/L","10","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","106-43-4","4-Chlorotoluene","N","0.45","<","U","ug/L","0.45","ug/L","0.45","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","108-10-1","4-Methyl-2-pentanone","N","2.1","<","U","ug/L","2.1","ug/L","2.1","ug/L","10","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","67-64-1","Acetone","N","7.0","<","U","ug/L","7.0","ug/L","7.0","ug/L","10","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","71-43-2","Benzene","N","0.43","<","U","ug/L","0.43","ug/L","0.43","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","108-86-1","Bromobenzene","N","0.50","<","U","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","74-97-5","Bromochloromethane","N","0.45","<","U","ug/L","0.45","ug/L","0.45","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","75-27-4","Bromodichloromethane","N","0.44","<","U","ug/L","0.44","ug/L","0.44","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","75-25-2","Bromoform","N","0.43","<","U","ug/L","0.43","ug/L","0.43","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","74-83-9","Bromomethane","N","2.5","<","U","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015

11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","75-15-0","Carbon

disulfide","N","1.0","<","U","ug/L","1.0","ug/L","1.0","ug/L","2.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","56-23-5","Carbon

tetrachloride","N","0.33","<","U","ug/L","0.33","ug/L","0.33","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","108-90-7","Chlorobenzene","N","0.26","<","U","ug/L","0.26","ug/L","0.26","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","75-00-3","Chloroethane","N","2.5","<","U

*","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","67-66-3","Chloroform","N","0.50","<","U","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","74-87-3","Chloromethane","N","0.40","<","U","ug/L","0.40","ug/L","0.40","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","156-59-2","cis-1,2-

Dichloroethene","N","0.41","<","U","ug/L","0.41","ug/L","0.41","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","10061-01-5","cis-1,3-

Dichloropropene","N","0.40","<","U","ug/L","0.40","ug/L","0.40","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","124-48-1","Dibromochloromethane","N","0.32","<","U","ug/L","0.32","ug/L","0.32","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","74-95-3","Dibromomethane","N","0.35","<","U","ug/L","0.35","ug/L","0.35","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","75-71-8","Dichlorodifluoromethane","N","0.60","<","U","ug/L","0.60","ug/L","0.60","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","100-41-4","Ethylbenzene","N","0.33","<","U","ug/L","0.33","ug/L","0.33","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","98-82-8","Isopropylbenzene","N","0.35","<","U","ug/L","0.35","ug/L","0.35","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","1634-04-4","Methyl tert-butyl ether","N","0.30","<","U","ug/L","0.30","ug/L","0.30","ug/L","10","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","75-09-2","Methylene Chloride","N","2.5","<","U","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","179601-23-1","m-Xylene & p-Xylene","N","0.35","<","U","ug/L","0.35","ug/L","0.35","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","104-51-8","n-Butylbenzene","N","0.47","<","U","ug/L","0.47","ug/L","0.47","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","103-65-1","N-Propylbenzene","N","0.38","<","U","ug/L","0.38","ug/L","0.38","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","95-47-6","o-Xylene","N","0.23","<","U","ug/L","0.23","ug/L","0.23","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","99-87-6","p-Isopropyltoluene","N","0.48","<","U","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","135-98-8","sec-Butylbenzene","N","0.42","<","U","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","100-42-5","Styrene","N","0.27","<","U","ug/L","0.27","ug/L","0.27","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","98-06-6","tert-Butylbenzene","N","0.45","<","U","ug/L","0.45","ug/L","0.45","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","127-18-4","Tetrachloroethene","N","0.74","<","U","ug/L","0.74","ug/L","0.74","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","108-88-3","Toluene","N","0.48","<","U","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","","","","","T","init

ial","Wet","1","","5","mL","5","mL","","0","","","",""
"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","156-60-5","trans-1,2-Dichloroethene","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","","","","","T", "initial","Wet","1","","5","mL","5","mL","","0","","","",""
"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","10061-02-6","trans-1,3-Dichloropropene","N","0.42","<","U","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","","","","","T ","initial","Wet","1","","5","mL","5","mL","","0","","","",""
"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","79-01-6","Trichloroethene","N","0.48","<","U","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","","","","" ,"T","initial","Wet","1","","5","mL","5","mL","","0","","","",""
"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","75-69-4","Trichlorofluoromethane","N","0.42","<","U","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG"," ","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","",""
"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","108-05-4","Vinyl acetate","N","0.81","<","U","ug/L","0.81","ug/L","0.81","ug/L","2.0","ug/L","Yes","TRG","","","","","T","initial", "Wet","1","","5","mL","5","mL","","0","","","",""
"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","75-01-4","Vinyl chloride","N","0.50","<","U","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial", "Wet","1","","5","mL","5","mL","","0","","","",""
"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","1330-20-7","Xylenes, Total","N","0.23","<","U","ug/L","0.23","ug/L","0.23","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","W et","1","","5","mL","5","mL","","0","","","",""
"LCS","","Water","Normal","","","","09/24/2015 07:30","09/24/2015 11:51","TestAmerica Savannah","LCS 680-402594/2-A","402691","4500_CN_E Cyanide, Total: Colorimetric Method","4500 CN E-2011","Distill/CN","57-12-5","Cyanide, Total","Y","0.0503","","","mg/L","0.0050","mg/L","0.0050","mg/L","0.010","mg/L","Yes","TRG","Laboratory_ Control_Sample","","","","T","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","630-20-6","1,1,1,2-Tetrachloroethane","Y","46.2","","","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","Laboratory _Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","71-55-6","1,1,1-Trichloroethane","Y","53.6","","","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","Laboratory_C ontrol_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","79-34-5","1,1,2,2-Tetrachloroethane","Y","50.6","","","ug/L","0.62","ug/L","0.62","ug/L","1.0","ug/L","Yes","TRG","Laboratory _Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","79-00-5","1,1,2-Trichloroethane","Y","48.7","","","ug/L","0.33","ug/L","0.33","ug/L","1.0","ug/L","Yes","TRG","Laboratory_C ontrol_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-

402596/4","402596","8260B SM 6200B","SM 6200B","","75-34-3","1,1-Dichloroethane","Y","47.7","","","ug/L","0.38","ug/L","0.38","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","75-35-4","1,1-Dichloroethene","Y","44.6","","","ug/L","0.36","ug/L","0.36","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","563-58-6","1,1-Dichloropropene","Y","53.8","","","ug/L","0.34","ug/L","0.34","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","87-61-6","1,2,3-Trichlorobenzene","Y","42.3","","","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","96-18-4","1,2,3-Trichloropropane","Y","51.6","","","ug/L","0.39","ug/L","0.39","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","120-82-1","1,2,4-Trichlorobenzene","Y","42.4","","","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","95-63-6","1,2,4-Trimethylbenzene","Y","47.4","","","ug/L","0.47","ug/L","0.47","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","96-12-8","1,2-Dibromo-3-Chloropropane","Y","40.6","","","ug/L","1.1","ug/L","1.1","ug/L","5.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","106-93-4","1,2-Dibromoethane","Y","52.3","","","ug/L","0.44","ug/L","0.44","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","107-06-2","1,2-Dichloroethane","Y","50.2","","","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","540-59-0","1,2-Dichloroethene, Total","Y","101","","","ug/L","0.37","ug/L","0.37","ug/L","2.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","78-87-5","1,2-Dichloropropane","Y","48.6","","","ug/L","0.67","ug/L","0.67","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","108-67-8","1,3,5-Trimethylbenzene","Y","52.1","","","ug/L","0.31","ug/L","0.31","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","142-28-9","1,3-Dichloropropane","Y","50.9","","","ug/L","0.34","ug/L","0.34","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-

402596/4","402596","8260B SM 6200B","SM 6200B","","594-20-7","2,2-Dichloropropane","Y","54.1","","","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","78-93-3","2-Butanone","Y","239","","","ug/L","3.4","ug/L","3.4","ug/L","10","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","110-75-8","2-Chloroethyl vinyl ether","Y","50.3","","","ug/L","5.0","ug/L","5.0","ug/L","10","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","95-49-8","2-Chlorotoluene","Y","51.0","","","ug/L","0.27","ug/L","0.27","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","591-78-6","2-Hexanone","Y","260","","","ug/L","2.0","ug/L","2.0","ug/L","10","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","106-43-4","4-Chlorotoluene","Y","50.6","","","ug/L","0.45","ug/L","0.45","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","108-10-1","4-Methyl-2-pentanone","Y","250","","","ug/L","2.1","ug/L","2.1","ug/L","10","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","67-64-1","Acetone","Y","212","","","ug/L","7.0","ug/L","7.0","ug/L","10","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","71-43-2","Benzene","Y","51.8","","","ug/L","0.43","ug/L","0.43","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","108-86-1","Bromobenzene","Y","50.3","","","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","74-97-5","Bromochloromethane","Y","43.4","","","ug/L","0.45","ug/L","0.45","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","75-27-4","Bromodichloromethane","Y","50.9","","","ug/L","0.44","ug/L","0.44","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","75-25-2","Bromoform","Y","42.8","","","ug/L","0.43","ug/L","0.43","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","74-83-9","Bromomethane","Y","46.3","","","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-

402596/4","402596","8260B SM 6200B","SM 6200B","","75-15-0","Carbon
disulfide","Y","42.9","","","ug/L","1.0","ug/L","1.0","ug/L","2.0","ug/L","Yes","TRG","Laboratory_Control_Sa
mple","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-
402596/4","402596","8260B SM 6200B","SM 6200B","","56-23-5","Carbon
tetrachloride","Y","55.1","","","ug/L","0.33","ug/L","0.33","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Contr
ol_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-
402596/4","402596","8260B SM 6200B","SM 6200B","","108-90-
7","Chlorobenzene","Y","51.7","","","ug/L","0.26","ug/L","0.26","ug/L","1.0","ug/L","Yes","TRG","Laboratory
_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-
402596/4","402596","8260B SM 6200B","SM 6200B","","75-00-
3","Chloroethane","Y","40.9","","","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","Laboratory_Co
ntrol_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-
402596/4","402596","8260B SM 6200B","SM 6200B","","67-66-
3","Chloroform","Y","51.2","","","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Co
ntrol_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-
402596/4","402596","8260B SM 6200B","SM 6200B","","74-87-
3","Chloromethane","Y","41.2","","","ug/L","0.40","ug/L","0.40","ug/L","1.0","ug/L","Yes","TRG","Laboratory
_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-
402596/4","402596","8260B SM 6200B","SM 6200B","","156-59-2","cis-1,2-
Dichloroethene","Y","51.5","","","ug/L","0.41","ug/L","0.41","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Co
ntrol_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-
402596/4","402596","8260B SM 6200B","SM 6200B","","10061-01-5","cis-1,3-
Dichloropropene","Y","53.1","","","ug/L","0.40","ug/L","0.40","ug/L","1.0","ug/L","Yes","TRG","Laboratory_C
ontrol_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-
402596/4","402596","8260B SM 6200B","SM 6200B","","124-48-
1","Dibromochloromethane","Y","47.0","","","ug/L","0.32","ug/L","0.32","ug/L","1.0","ug/L","Yes","TRG","La
boratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-
402596/4","402596","8260B SM 6200B","SM 6200B","","74-95-
3","Dibromomethane","Y","48.1","","","ug/L","0.35","ug/L","0.35","ug/L","1.0","ug/L","Yes","TRG","Laborato
ry_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-
402596/4","402596","8260B SM 6200B","SM 6200B","","75-71-
8","Dichlorodifluoromethane","Y","46.4","","","ug/L","0.60","ug/L","0.60","ug/L","1.0","ug/L","Yes","TRG","L
aboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-
402596/4","402596","8260B SM 6200B","SM 6200B","","100-41-
4","Ethylbenzene","Y","53.3","","","ug/L","0.33","ug/L","0.33","ug/L","1.0","ug/L","Yes","TRG","Laboratory_
Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-
402596/4","402596","8260B SM 6200B","SM 6200B","","98-82-
8","Isopropylbenzene","Y","53.5","","","ug/L","0.35","ug/L","0.35","ug/L","1.0","ug/L","Yes","TRG","Laborato
ry_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-
402596/4","402596","8260B SM 6200B","SM 6200B","","1634-04-4","Methyl tert-butyl
ether","Y","50.6","","","ug/L","0.30","ug/L","0.30","ug/L","10","ug/L","Yes","TRG","Laboratory_Control_Sam
ple","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-

402596/4","402596","8260B SM 6200B","SM 6200B","","75-09-2","Methylene Chloride","Y","41.1","","","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","179601-23-1","m-Xylene & p-Xylene","Y","53.0","","","ug/L","0.35","ug/L","0.35","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","104-51-8","n-Butylbenzene","Y","54.5","","","ug/L","0.47","ug/L","0.47","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","103-65-1","N-Propylbenzene","Y","53.1","","","ug/L","0.38","ug/L","0.38","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","95-47-6","o-Xylene","Y","52.1","","","ug/L","0.23","ug/L","0.23","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","99-87-6","p-Isopropyltoluene","Y","47.3","","","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","135-98-8","sec-Butylbenzene","Y","48.0","","","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","100-42-5","Styrene","Y","53.3","","","ug/L","0.27","ug/L","0.27","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","98-06-6","tert-Butylbenzene","Y","48.5","","","ug/L","0.45","ug/L","0.45","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","127-18-4","Tetrachloroethene","Y","49.0","","","ug/L","0.74","ug/L","0.74","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",",

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","108-88-3","Toluene","Y","50.1","","","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","156-60-5","trans-1,2-Dichloroethene","Y","49.8","","","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","10061-02-6","trans-1,3-Dichloropropene","Y","45.0","","","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","79-01-6","Trichloroethene","Y","53.2","","","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","""

"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-

402596/4","402596","8260B SM 6200B","SM 6200B","","75-69-
4","Trichlorofluoromethane","Y","43.2","","","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","La
boratory_Control_Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-
402596/4","402596","8260B SM 6200B","SM 6200B","","108-05-4","Vinyl
acetate","Y","80.6","","","ug/L","0.81","ug/L","0.81","ug/L","2.0","ug/L","Yes","TRG","Laboratory_Control_S
ample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-
402596/4","402596","8260B SM 6200B","SM 6200B","","75-01-4","Vinyl
chloride","Y","44.4","","","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_S
ample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",
"LCS","","Water","Normal","","","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-
402596/4","402596","8260B SM 6200B","SM 6200B","","1330-20-7","Xylenes,
Total","Y","105","","","ug/L","0.23","ug/L","0.23","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sam
ple","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"LCS","","Water","Normal","","","","","09/24/2015 09:16","09/24/2015 16:49","TestAmerica Savannah","LCS
680-402606/14-A","402821","7470A Mercury (CVAA)","7470A","7470A","7439-97-
6","Mercury","Y","2.50","","","ug/L","0.080","ug/L","0.080","ug/L","0.20","ug/L","Yes","TRG","Laboratory_Co
ntrol_Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","","09/24/2015 15:11","09/25/2015 14:44","TestAmerica Savannah","LCS
680-402617/23-A","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas
Chromatography","8082A","3520C","12674-11-2","PCB-
1016","Y","4.23","","","ug/L","0.18","ug/L","0.18","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sam
ple","","","","T","initial","Wet","1","","1000","mL","10","mL","","1","","","",
"LCS","","Water","Normal","","","","","09/24/2015 15:11","09/25/2015 14:44","TestAmerica Savannah","LCS
680-402617/23-A","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas
Chromatography","8082A","3520C","11096-82-5","PCB-
1260","Y","4.45","","","ug/L","0.12","ug/L","0.12","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sam
ple","","","","T","initial","Wet","1","","1000","mL","10","mL","","1","","","",""
"LCS","","Water","Normal","","","","","09/24/2015 11:58","09/24/2015 13:04","TestAmerica Savannah","LCS
680-402677/2-A","402743","SM4500NH3_G Ammonia","4500 NH3 G-2011","4500 NH3 B-2011","7664-41-
7","Ammonia","Y","1.09","","","mg/L","0.10","mg/L","0.10","mg/L","0.25","mg/L","Yes","TRG","Laboratory_
Control_Sample","","","","T","initial","Wet","1","","6","mL","6","mL","","1","","","",""
"LCS","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS
680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7429-90-
5","Aluminum","Y","4900","","","ug/L","24","ug/L","24","ug/L","200","ug/L","Yes","TRG","Laboratory_Control
_Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS
680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-36-
0","Antimony","Y","51.2","","","ug/L","5.3","ug/L","5.3","ug/L","20","ug/L","Yes","TRG","Laboratory_Control_
Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS
680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-38-
2","Arsenic","Y","114","","","ug/L","6.2","ug/L","6.2","ug/L","20","ug/L","Yes","TRG","Laboratory_Control_S
ample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS
680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-39-
3","Barium","Y","102","","","ug/L","1.7","ug/L","1.7","ug/L","10","ug/L","Yes","TRG","Laboratory_Control_Sa
mple","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS
680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-41-
7","Beryllium","Y","53.4","","","ug/L","0.10","ug/L","0.10","ug/L","4.0","ug/L","Yes","TRG","Laboratory_Contr
ol_Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS
680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-42-
8","Boron","Y","201","","","ug/L","36","ug/L","36","ug/L","100","ug/L","Yes","TRG","Laboratory_Control_Sa

mple","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-43-9","Cadmium","Y","52.6","","","ug/L","1.0","ug/L","1.0","ug/L","5.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-70-2","Calcium","Y","5090","","","ug/L","25","ug/L","25","ug/L","500","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-47-3","Chromium","Y","104","","","ug/L","1.6","ug/L","1.6","ug/L","10","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-48-4","Cobalt","Y","52.4","","","ug/L","1.0","ug/L","1.0","ug/L","10","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-50-8","Copper","Y","106","","","ug/L","1.8","ug/L","1.8","ug/L","20","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7439-89-6","Iron","Y","4890","","","ug/L","17","ug/L","17","ug/L","50","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7439-92-1","Lead","Y","501","","","ug/L","3.9","ug/L","3.9","ug/L","10","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7439-95-4","Magnesium","Y","5240","","","ug/L","33","ug/L","33","ug/L","500","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7439-96-5","Manganese","Y","517","","","ug/L","1.0","ug/L","1.0","ug/L","10","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7439-98-7","Molybdenum","Y","103","","","ug/L","1.0","ug/L","1.0","ug/L","10","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-02-0","Nickel","Y","102","","","ug/L","2.1","ug/L","2.1","ug/L","40","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-09-7","Potassium","Y","5280","","","ug/L","17","ug/L","17","ug/L","1000","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7782-49-2","Selenium","Y","111","","","ug/L","9.9","ug/L","9.9","ug/L","20","ug/L","Yes","TRG","Laboratory_Control_Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-22-4","Silver","Y","50.4","","","ug/L","0.60","ug/L","0.60","ug/L","10","ug/L","Yes","TRG","Laboratory_Control_

Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-23-5","Sodium","Y","5250","","","ug/L","480","ug/L","480","ug/L","1000","ug/L","Yes","TRG","Laboratory_Contr ol_Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-24-6","Strontium","Y","99.1","","","ug/L","0.90","ug/L","0.90","ug/L","10","ug/L","Yes","TRG","Laboratory_Contr ol_Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-28-0","Thallium","Y","42.9","","","ug/L","6.0","ug/L","6.0","ug/L","25","ug/L","Yes","TRG","Laboratory_Control_ Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-31-5","Tin","Y","196","","","ug/L","5.5","ug/L","5.5","ug/L","50","ug/L","Yes","TRG","Laboratory_Control_Sampl e","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-32-6","Titanium","Y","102","","","ug/L","0.50","ug/L","0.50","ug/L","10","ug/L","Yes","TRG","Laboratory_Control _Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-62-2","Vanadium","Y","104","","","ug/L","1.0","ug/L","1.0","ug/L","10","ug/L","Yes","TRG","Laboratory_Control _Sample","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-66-6","Zinc","Y","100","","","ug/L","7.0","ug/L","7.0","ug/L","20","ug/L","Yes","TRG","Laboratory_Control_Sam ple","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"LCS","","Water","Normal","","","","","09/24/2015 11:25","TestAmerica Savannah","LCS 680-402733/1","402733","3500_CR_D Chromium, Hexavalent","SM 3500 CR D","","18540-29-9","Cr (VI)","Y","0.195","","","mg/L","0.0030","mg/L","0.0030","mg/L","0.010","mg/L","Yes","TRG","Laboratory_Co ntrol_Sample","","","","T","initial","Wet","1","","2","mL","2","mL","","1","","","",""
"LCS","","Water","Normal","","","","","09/24/2015 08:12","TestAmerica Savannah","LCS 680-402737/3","402737","300_ORGFMS Anions, Ion Chromatography","300.0","","14797-55-8","Nitrate as N","Y","1.05","","","mg/L","0.023","mg/L","0.023","mg/L","0.050","mg/L","Yes","TRG","Laboratory_Control_ Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"LCS","","Water","Normal","","","","","09/24/2015 08:12","TestAmerica Savannah","LCS 680-402737/3","402737","300_ORGFMS Anions, Ion Chromatography","300.0","","STL00217","Nitrate Nitrite as N","Y","2.04","","","mg/L","0.023","mg/L","0.023","mg/L","0.050","mg/L","Yes","TRG","Laboratory_Control_ Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"LCS","","Water","Normal","","","","","09/24/2015 08:12","TestAmerica Savannah","LCS 680-402737/3","402737","300_ORGFMS Anions, Ion Chromatography","300.0","","14797-65-0","Nitrite as N","Y","0.987","","","mg/L","0.023","mg/L","0.023","mg/L","0.050","mg/L","Yes","TRG","Laboratory_Control _Sample","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"LCS","","Water","Normal","","","","09/24/2015 15:23","09/25/2015 09:36","TestAmerica Savannah","LCS 680-402758/2-A","402891","351.2 Nitrogen, Total Kjeldahl","351.2","Digestion","STL00296","Nitrogen, Kjeldahl","Y","2.03","","","mg/L","0.10","mg/L","0.10","mg/L","0.20","mg/L","Yes","TRG","Laboratory_Contr ol_Sample","","","","T","initial","Wet","1","","40","mL","40","mL","","1","","","",""
"MB","","Water","Normal","","","","09/24/2015 07:30","09/24/2015 11:50","TestAmerica Savannah","MB 680-402594/1-A","402691","4500_CN_E Cyanide, Total: Colorimetric Method","4500 CN E-2011","Distill/CN","57-12-5","Cyanide, Total","N","0.0050","<","U","mg/L","0.0050","mg/L","0.0050","mg/L","0.010","mg/L","Yes","TRG","Method_ Blank","","","","T","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-

402596/8","402596","8260B SM 6200B","SM 6200B","","630-20-6","1,1,1,2-Tetrachloroethane","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","71-55-6","1,1,1-Trichloroethane","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","79-34-5","1,1,2,2-Tetrachloroethane","N","0.62","<","U","ug/L","0.62","ug/L","0.62","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","79-00-5","1,1,2-Trichloroethane","N","0.33","<","U","ug/L","0.33","ug/L","0.33","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","75-34-3","1,1-Dichloroethane","N","0.38","<","U","ug/L","0.38","ug/L","0.38","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","75-35-4","1,1-Dichloroethene","N","0.36","<","U","ug/L","0.36","ug/L","0.36","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","563-58-6","1,1-Dichloropropene","N","0.34","<","U","ug/L","0.34","ug/L","0.34","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","87-61-6","1,2,3-Trichlorobenzene","N","2.5","<","U","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","96-18-4","1,2,3-Trichloropropane","N","0.39","<","U","ug/L","0.39","ug/L","0.39","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","120-82-1","1,2,4-Trichlorobenzene","N","2.5","<","U","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","95-63-6","1,2,4-Trimethylbenzene","N","0.47","<","U","ug/L","0.47","ug/L","0.47","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","96-12-8","1,2-Dibromo-3-Chloropropane","N","1.1","<","U","ug/L","1.1","ug/L","1.1","ug/L","5.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","106-93-4","1,2-Dibromoethane","N","0.44","<","U","ug/L","0.44","ug/L","0.44","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","107-06-2","1,2-Dichloroethane","N","0.50","<","U","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-

402596/8","402596","8260B SM 6200B","SM 6200B","","540-59-0","1,2-Dichloroethene, Total","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","2.0","ug/L","Yes","TRG","Method_Blank","","","",""
,"T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","78-87-5","1,2-Dichloropropane","N","0.67","<","U","ug/L","0.67","ug/L","0.67","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","108-67-8","1,3,5-Trimethylbenzene","N","0.31","<","U","ug/L","0.31","ug/L","0.31","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","142-28-9","1,3-Dichloropropane","N","0.34","<","U","ug/L","0.34","ug/L","0.34","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","594-20-7","2,2-Dichloropropane","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","78-93-3","2-Butanone","N","3.4","<","U","ug/L","3.4","ug/L","3.4","ug/L","10","ug/L","Yes","TRG","Method_Blank","","","",""
,"T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","110-75-8","2-Chloroethyl vinyl ether","N","5.0","<","U","ug/L","5.0","ug/L","5.0","ug/L","10","ug/L","Yes","TRG","Method_Blank","","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","95-49-8","2-Chlorotoluene","N","0.27","<","U","ug/L","0.27","ug/L","0.27","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","591-78-6","2-Hexanone","N","2.0","<","U","ug/L","2.0","ug/L","2.0","ug/L","10","ug/L","Yes","TRG","Method_Blank","","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","106-43-4","4-Chlorotoluene","N","0.45","<","U","ug/L","0.45","ug/L","0.45","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","108-10-1","4-Methyl-2-pentanone","N","2.1","<","U","ug/L","2.1","ug/L","2.1","ug/L","10","ug/L","Yes","TRG","Method_Blank","","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","67-64-1","Acetone","N","7.0","<","U","ug/L","7.0","ug/L","7.0","ug/L","10","ug/L","Yes","TRG","Method_Blank","","",""
,"","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","71-43-2","Benzene","N","0.43","<","U","ug/L","0.43","ug/L","0.43","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",,""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","108-86-1","Bromobenzene","N","0.50","<","U","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-

402596/8","402596","8260B SM 6200B","SM 6200B","","74-97-5","Bromochloromethane","N","0.45","<","U","ug/L","0.45","ug/L","0.45","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","75-27-4","Bromodichloromethane","N","0.44","<","U","ug/L","0.44","ug/L","0.44","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","75-25-2","Bromoform","N","0.43","<","U","ug/L","0.43","ug/L","0.43","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","74-83-9","Bromomethane","N","2.5","<","U","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","75-15-0","Carbon disulfide","N","1.0","<","U","ug/L","1.0","ug/L","1.0","ug/L","2.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","56-23-5","Carbon tetrachloride","N","0.33","<","U","ug/L","0.33","ug/L","0.33","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","108-90-7","Chlorobenzene","N","0.26","<","U","ug/L","0.26","ug/L","0.26","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","75-00-3","Chloroethane","N","2.5","<","U","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","67-66-3","Chloroform","N","0.50","<","U","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","74-87-3","Chloromethane","N","0.40","<","U","ug/L","0.40","ug/L","0.40","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","156-59-2","cis-1,2-Dichloroethene","N","0.41","<","U","ug/L","0.41","ug/L","0.41","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","10061-01-5","cis-1,3-Dichloropropene","N","0.40","<","U","ug/L","0.40","ug/L","0.40","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","124-48-1","Dibromochloromethane","N","0.32","<","U","ug/L","0.32","ug/L","0.32","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","74-95-3","Dibromomethane","N","0.35","<","U","ug/L","0.35","ug/L","0.35","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-

402596/8","402596","8260B SM 6200B","SM 6200B","","75-71-
8","Dichlorodifluoromethane","N","0.60","<","U","ug/L","0.60","ug/L","0.60","ug/L","1.0","ug/L","Yes","TRG",
"Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","","
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-
402596/8","402596","8260B SM 6200B","SM 6200B","","100-41-
4","Ethylbenzene","N","0.33","<","U","ug/L","0.33","ug/L","0.33","ug/L","1.0","ug/L","Yes","TRG","Method_
Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-
402596/8","402596","8260B SM 6200B","SM 6200B","","98-82-
8","Isopropylbenzene","N","0.35","<","U","ug/L","0.35","ug/L","0.35","ug/L","1.0","ug/L","Yes","TRG","Meth
od_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-
402596/8","402596","8260B SM 6200B","SM 6200B","","1634-04-4","Methyl tert-butyl
ether","N","0.30","<","U","ug/L","0.30","ug/L","0.30","ug/L","10","ug/L","Yes","TRG","Method_Blank","","","",
"T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-
402596/8","402596","8260B SM 6200B","SM 6200B","","75-09-2","Methylene
Chloride","N","2.5","<","U","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","Method_Blank","","","",
"T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-
402596/8","402596","8260B SM 6200B","SM 6200B","","179601-23-1","m-Xylene & p-
Xylene","N","0.35","<","U","ug/L","0.35","ug/L","0.35","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","",
"","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-
402596/8","402596","8260B SM 6200B","SM 6200B","","104-51-8","n-
Butylbenzene","N","0.47","<","U","ug/L","0.47","ug/L","0.47","ug/L","1.0","ug/L","Yes","TRG","Method_Blan
k","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-
402596/8","402596","8260B SM 6200B","SM 6200B","","103-65-1","N-
Propylbenzene","N","0.38","<","U","ug/L","0.38","ug/L","0.38","ug/L","1.0","ug/L","Yes","TRG","Method_Bla
nk","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-
402596/8","402596","8260B SM 6200B","SM 6200B","","95-47-6","o-
Xylene","N","0.23","<","U","ug/L","0.23","ug/L","0.23","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","",
"","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-
402596/8","402596","8260B SM 6200B","SM 6200B","","99-87-6","p-
Isopropyltoluene","N","0.48","<","U","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","Method_B
lank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-
402596/8","402596","8260B SM 6200B","SM 6200B","","135-98-8","sec-
Butylbenzene","N","0.42","<","U","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","Method_Blan
k","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-
402596/8","402596","8260B SM 6200B","SM 6200B","","100-42-
5","Styrene","N","0.27","<","U","ug/L","0.27","ug/L","0.27","ug/L","1.0","ug/L","Yes","TRG","Method_Blank",
"","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-
402596/8","402596","8260B SM 6200B","SM 6200B","","98-06-6","tert-
Butylbenzene","N","0.45","<","U","ug/L","0.45","ug/L","0.45","ug/L","1.0","ug/L","Yes","TRG","Method_Blan
k","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-
402596/8","402596","8260B SM 6200B","SM 6200B","","127-18-
4","Tetrachloroethene","N","0.74","<","U","ug/L","0.74","ug/L","0.74","ug/L","1.0","ug/L","Yes","TRG","Meth
od_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-

402596/8","402596","8260B SM 6200B","SM 6200B","","108-88-
3","Toluene","N","0.48","<","U","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","Method_Blank"
,"","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-
402596/8","402596","8260B SM 6200B","SM 6200B","","156-60-5","trans-1,2-
Dichloroethene","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","Method_Bla
nk","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-
402596/8","402596","8260B SM 6200B","SM 6200B","","10061-02-6","trans-1,3-
Dichloropropene","N","0.42","<","U","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","Method_B
lank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-
402596/8","402596","8260B SM 6200B","SM 6200B","","79-01-
6","Trichloroethene","N","0.48","<","U","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","Method
_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-
402596/8","402596","8260B SM 6200B","SM 6200B","","75-69-
4","Trichlorofluoromethane","N","0.42","<","U","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","
Method_Blank","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-
402596/8","402596","8260B SM 6200B","SM 6200B","","108-05-4","Vinyl
acetate","N","0.81","<","U","ug/L","0.81","ug/L","0.81","ug/L","2.0","ug/L","Yes","TRG","Method_Blank","","""
,"","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-
402596/8","402596","8260B SM 6200B","SM 6200B","","75-01-4","Vinyl
chloride","N","0.50","<","U","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","",","
","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-
402596/8","402596","8260B SM 6200B","SM 6200B","","1330-20-7","Xylenes,
Total","N","0.23","<","U","ug/L","0.23","ug/L","0.23","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","""
,"T","initial","Wet","1","","5","mL","5","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 09:16","09/24/2015 16:46","TestAmerica Savannah","MB
680-402606/13-A","402821","7470A Mercury (CVAA)","7470A","7470A","7439-97-
6","Mercury","N","0.080","<","U","ug/L","0.080","ug/L","0.080","ug/L","0.20","ug/L","Yes","TRG","Method_B
lank","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 15:11","09/25/2015 14:14","TestAmerica Savannah","MB
680-402617/17-A","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas
Chromatography","8082A","3520C","12674-11-2","PCB-
1016","N","0.18","<","U","ug/L","0.18","ug/L","0.18","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","""
,"T","initial","Wet","1","","1000","mL","10","mL","","1","","","",
"MB","","Water","Normal","","","","","09/24/2015 15:11","09/25/2015 14:14","TestAmerica Savannah","MB
680-402617/17-A","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas
Chromatography","8082A","3520C","11104-28-2","PCB-
1221","N","0.19","<","U","ug/L","0.19","ug/L","0.19","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","""
,"T","initial","Wet","1","","1000","mL","10","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 15:11","09/25/2015 14:14","TestAmerica Savannah","MB
680-402617/17-A","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas
Chromatography","8082A","3520C","11141-16-5","PCB-
1232","N","0.25","<","U","ug/L","0.25","ug/L","0.25","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","""
,"T","initial","Wet","1","","1000","mL","10","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 15:11","09/25/2015 14:14","TestAmerica Savannah","MB
680-402617/17-A","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas
Chromatography","8082A","3520C","53469-21-9","PCB-
1242","N","0.19","<","U","ug/L","0.19","ug/L","0.19","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","""
,"T","initial","Wet","1","","1000","mL","10","mL","","1","","","",""
"MB","","Water","Normal","","","","","09/24/2015 15:11","09/25/2015 14:14","TestAmerica Savannah","MB

680-402617/17-A","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","12672-29-6","PCB-1248","N","0.21","<","U","ug/L","0.21","ug/L","0.21","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","1000","mL","10","mL","","1","","",

"MB","","Water","Normal","","","","09/24/2015 15:11","09/25/2015 14:14","TestAmerica Savannah","MB 680-402617/17-A","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","11097-69-1","PCB-1254","N","0.11","<","U","ug/L","0.11","ug/L","0.11","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","1000","mL","10","mL","","1","","",

"MB","","Water","Normal","","","","09/24/2015 15:11","09/25/2015 14:14","TestAmerica Savannah","MB 680-402617/17-A","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","11096-82-5","PCB-1260","N","0.12","<","U","ug/L","0.12","ug/L","0.12","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","1000","mL","10","mL","","1","","",

"MB","","Water","Normal","","","","09/24/2015 11:58","09/24/2015 13:04","TestAmerica Savannah","MB 680-402677/1-A","402743","SM4500NH3_G Ammonia","4500 NH3 G-2011","4500 NH3 B-2011","7664-41-7","Ammonia","N","0.10","<","U","mg/L","0.10","mg/L","0.10","mg/L","0.25","mg/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","6","mL","6","mL","","1","","",

"MB","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7429-90-5","Aluminum","N","24","<","U","ug/L","24","ug/L","24","ug/L","200","ug/L","Yes","TRG","Method_Blank","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",

"MB","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-36-0","Antimony","N","5.3","<","U","ug/L","5.3","ug/L","5.3","ug/L","20","ug/L","Yes","TRG","Method_Blank","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",

"MB","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-38-2","Arsenic","N","6.2","<","U","ug/L","6.2","ug/L","6.2","ug/L","20","ug/L","Yes","TRG","Method_Blank","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",

"MB","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-39-3","Barium","N","1.7","<","U","ug/L","1.7","ug/L","1.7","ug/L","10","ug/L","Yes","TRG","Method_Blank","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",

"MB","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-41-7","Beryllium","N","0.10","<","U","ug/L","0.10","ug/L","0.10","ug/L","4.0","ug/L","Yes","TRG","Method_Blank","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",

"MB","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-42-8","Boron","N","36","<","U","ug/L","36","ug/L","36","ug/L","100","ug/L","Yes","TRG","Method_Blank","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",

"MB","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-43-9","Cadmium","N","1.0","<","U","ug/L","1.0","ug/L","1.0","ug/L","5.0","ug/L","Yes","TRG","Method_Blank","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",

"MB","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-70-2","Calcium","N","25","<","U","ug/L","25","ug/L","25","ug/L","500","ug/L","Yes","TRG","Method_Blank","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",

"MB","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-47-3","Chromium","N","1.6","<","U","ug/L","1.6","ug/L","1.6","ug/L","10","ug/L","Yes","TRG","Method_Blank","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",

"MB","","Water","Normal","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-48-

4","Cobalt","N","1.0","<","U","ug/L","1.0","ug/L","1.0","ug/L","10","ug/L","Yes","TRG","Method_Blank","","","," ","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-50-8","Copper","N","1.8","<","U","ug/L","1.8","ug/L","1.8","ug/L","20","ug/L","Yes","TRG","Method_Blank","","","," ","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7439-89-6","Iron","N","17","<","U","ug/L","17","ug/L","17","ug/L","50","ug/L","Yes","TRG","Method_Blank","","","","T OTAL","initial","Wet","1","","50","mL","50","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7439-92-1","Lead","N","3.9","<","U","ug/L","3.9","ug/L","3.9","ug/L","10","ug/L","Yes","TRG","Method_Blank","","","," "TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7439-95-4","Magnesium","N","33","<","U","ug/L","33","ug/L","33","ug/L","500","ug/L","Yes","TRG","Method_Blank"," ","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7439-96-5","Manganese","N","1.0","<","U","ug/L","1.0","ug/L","1.0","ug/L","10","ug/L","Yes","TRG","Method_Blank", "","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7439-98-7","Molybdenum","N","1.0","<","U","ug/L","1.0","ug/L","1.0","ug/L","10","ug/L","Yes","TRG","Method_Blank" ,"","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-02-0","Nickel","N","2.1","<","U","ug/L","2.1","ug/L","2.1","ug/L","40","ug/L","Yes","TRG","Method_Blank","","","" ,"TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-09-7","Potassium","N","17","<","U","ug/L","17","ug/L","17","ug/L","1000","ug/L","Yes","TRG","Method_Blank"," ","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7782-49-2","Selenium","N","9.9","<","U","ug/L","9.9","ug/L","9.9","ug/L","20","ug/L","Yes","TRG","Method_Blank","", "","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-22-4","Silver","N","0.60","<","U","ug/L","0.60","ug/L","0.60","ug/L","10","ug/L","Yes","TRG","Method_Blank","", "","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-23-5","Sodium","N","480","<","U","ug/L","480","ug/L","480","ug/L","1000","ug/L","Yes","TRG","Method_Blank", "","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-24-6","Strontium","N","0.90","<","U","ug/L","0.90","ug/L","0.90","ug/L","10","ug/L","Yes","TRG","Method_Blank ","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-28-0","Thallium","N","6.0","<","U","ug/L","6.0","ug/L","6.0","ug/L","25","ug/L","Yes","TRG","Method_Blank","", "","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","",""

"MB","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-31-

5","Tin","N","5.5","<","U","ug/L","5.5","ug/L","5.5","ug/L","50","ug/L","Yes","TRG","Method_Blank","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-32-6","Titanium","N","0.50","<","U","ug/L","0.50","ug/L","0.50","ug/L","10","ug/L","Yes","TRG","Method_Blank","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-62-2","Vanadium","N","1.0","<","U","ug/L","1.0","ug/L","1.0","ug/L","10","ug/L","Yes","TRG","Method_Blank","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-66-6","Zinc","N","7.0","<","U","ug/L","7.0","ug/L","7.0","ug/L","20","ug/L","Yes","TRG","Method_Blank","","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 11:25","TestAmerica Savannah","MB 680-402733/2","402733","3500_CR_D Chromium, Hexavalent","SM 3500 CR D","","18540-29-9","Cr (VI)","N","0.0030","<","U","mg/L","0.0030","mg/L","0.0030","mg/L","0.010","mg/L","Yes","TRG","Method_Blank","","","","","T","initial","Wet","1","","2","mL","2","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 07:56","TestAmerica Savannah","MB 680-402737/2","402737","300_ORGFMS Anions, Ion Chromatography","300.0","","14797-55-8","Nitrate as N","N","0.023","<","U","mg/L","0.023","mg/L","0.023","mg/L","0.050","mg/L","Yes","TRG","Method_Blank","","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 07:56","TestAmerica Savannah","MB 680-402737/2","402737","300_ORGFMS Anions, Ion Chromatography","300.0","","STL00217","Nitrate Nitrite as N","N","0.023","<","U","mg/L","0.023","mg/L","0.023","mg/L","0.050","mg/L","Yes","TRG","Method_Blank","","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 07:56","TestAmerica Savannah","MB 680-402737/2","402737","300_ORGFMS Anions, Ion Chromatography","300.0","","14797-65-0","Nitrite as N","N","0.023","<","U","mg/L","0.023","mg/L","0.023","mg/L","0.050","mg/L","Yes","TRG","Method_Blank","","","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","",""

"MB","","Water","Normal","","","","","09/24/2015 15:23","09/25/2015 09:35","TestAmerica Savannah","MB 680-402758/1-A","402891","351.2 Nitrogen, Total Kjeldahl","351.2","Digestion","STL00296","Nitrogen, Kjeldahl","N","0.10","<","U","mg/L","0.10","mg/L","0.10","mg/L","0.20","mg/L","Yes","TRG","Method_Blank","","","","","T","initial","Wet","1","","40","mL","40","mL","","1","","","",""